



LSP 240

903 0007

User Manual

For more information please visit our website sieraelectronics.com

LSP 240 • Tabletop Condenser Microphone with Chime

Features:

- Tabletop condenser microphone for speech use.
- PA system, conference system and voice alarm system use dynamic microphone.
- Ideal for factory, hotel, school, train station and airport use paging microphone.
 - High sensitivity microphone with round ring indicator.
 - Microphone sensor is rather big enough for long distance voice pick up.
 - Very clear voice restoration with minimum distortion.
 - With feedback suppressor to avoid noise.
 - With pre-announcement chime for reminding.
 - Voice pick up distance about 40cm to 80cm.
 - Gooseneck microphone length of 420mm.
 - Supplied with 2 meters microphone cable.
 - DC9V power supply or AC220V power adapter.
 - Balanced XLR output with 5 meters microphone cable
 - With power LED display.



Specification:

Model	LSP 240
Description	Tabletop Condenser Microphone with Chime
Capsule Type	Condenser
Frequency Response	40Hz-16KHz
Polar Pattern	Cardioid
Output Impedance	200Ω , balanced
Sensitivity	-38dB
Gooseneck Length	420mm
Voice Pick-up Distance	40cm to 80 cm
Cable	5 meters microphone cable with 6.3mm Jack connector
Power Supply	DC9V or AC220V power adapter
Dimension	150(W)× 126(D)× 39(H)mm
Weight	0.7kg

[*sieraelectronics.com*](http://sieraelectronics.com)